ELSEVIER

Volume 189, Issues 1–3, 6 July 2007

Journal of
Materials
Processing
Technology

www.elsevier.com/locate/jmatprotec

Contents

Review Article

Soft magnetic composite materials (SMCs) 1
H. Shokrollahi, K. Janghorban

Regular Articles

Refinement of primary Si in hypereutectic Al–Si alloy by electromagnetic stirring 13
D. Lu, Y. Jiang, G. Guan, R. Zhou, Z. Li, R. Zhou

Computer-aided visual inspection of surface defects in ceramic capacitor chips 19
H.-D. Lin

A multivariate hybrid approach applied to AISI 52100 hardened steel turning optimization 26
A.P. Paiva, J.R. Ferreira, P.P. Balestrassi

A critical evaluation of the double cup extrusion test for selection of cold forging lubricants 36
T. Schrader, M. Shirgaokar, T. Altan

Numerical and experimental study of the cold expansion process in 7085 plate using a modified split sleeve 45
M.E. Karabin, F. Barlat, R.W. Schultz

FEM analysis and design bulb shield progressive draw die 58
Z.Q. Sheng, R. Taylor, M. Strazzanti

Experimental study on force measurements for single point incremental forming 65
J. Duflou, Y. Tunçkol, A. Szekeres, P. Vanherck

Modelling of cutting forces in ball-end milling with tool–surface inclination. Part I: Predictive force model and experimental validation 73
M. Fontaine, A. Moufki, A. Devillez, D. Dudzinski

Modelling of cutting forces in ball-end milling with tool–surface inclination. Part II. Influence of cutting conditions, run-out, ploughing and inclination angle 85
M. Fontaine, A. Devillez, A. Moufki, D. Dudzinski

Hot compression behavior of the AZ91 magnesium alloy produced by high pressure die casting 97
E. Cerri, P. Leo, P.P. De Marco

Isothermal transformation of austenite to bainite in high carbon steels 107
S.A. Sajjadi, S.M. Zebarjad

Grain growth mechanism during the welding of interstitial free (IF) steels 114
E. Bayraktar, D. Kaplan, L. Devillers, J.P. Chevalier

Low-cost and high sensitively microcontroller based control unit for a friction welding machine 126
R. Bayindir, H. Ates

Nitrogen spray atomization of molten tin metal: Powder morphology characteristics 132
R. Metz, C. Machado, M. Houabes, J. Pansiot, M. Elkhatib, R. Puyané, M. Hassanzadeh

α-SiAlON–SiC composites obtained by gas-pressure sintering and hot-pressing 138
C. Santos, C.A. Kelly, S. Ribeiro, K. Strecker, J.V.C. Souza, O.M.M. Silva

An ANN approach for predicting subsurface residual stresses and the desired cutting conditions during hard turning 143
D. Umbrello, G. Ambrogio, L. Filice, R. Shivpuri

Optimisation of tool life and productivity when end milling Inconel 718TM 153
H.R. Krain, A.R.C. Sharman, K. Ridgway

A preliminary model to predict the special grain boundary fraction in commercial-purity nickel 162
B.M. Guyot, N.L. Richards

Elsevier B.V.

Modelling and analysis of EDM_{ED} job surface integrity 169
B. Bhattacharyya, S. Gangopadhyay, B.R. Sarkar

Characteristics of 8 mol% yttria stabilized zirconia powder prepared by spray drying process 178
K. Prabhakaran, M.O. Beigh, J. Lakra, N.M. Gokhale, S.C. Sharma

Optimal control of induction heating for semi-solid aluminum alloy forming 182
H. Jiang, T.H. Nguyen, M. Prud'homme

Modelling of surface finish and tool flank wear in turning of AISI D2 steel with ceramic wiper inserts 192
T. Özel, Y. Karpat, L. Figueira, J.P. Davim

A model for melting rate phenomena in GMA welding 199
P.J. Modenesi, R.I. Reis

Measurement of residual stresses in cast aluminium engine blocks 206
E. Carrera, A. Rodríguez, J. Talamantes, S. Valtierra, R. Colás

Influence of helix angle and density variation on the cutting force in wood-based products machining 211
J. Boucher, P.-J. Méausoone, P. Martin, S. Auchet, L. Perrin

Fabrication of fully porous and porous-surfaced Ti-6Al-4V implants by electro-discharge-sintering of spherical Ti-6Al-4V powders in an one-step process 219
W.H. Lee, C.Y. Hyun

Spray forming and wear characteristics of liquid immiscible alloys 224
Gouthama, G.B. Rudrakshi, S.N. Ojha

Adaptive modeling and shape control of laminated plates using piezoelectric actuators 231
J.-C. Lin, M.H. Nien

Microstructure and mechanical properties of in situ synthesized (TiB_2 + Al_2O_3)/Al–Cu composites 237
D.G. Zhao, X.F. Liu, Y.C. Pan, X.F. Bian, X.J. Liu

Energy analysis of L-section extrusion using two different streamlined dies 242
M. Ketabchi, H. Seyedrezai

Dimensional variations of castings and moulds in the ceramic mould casting process 247
J. Jiang, X.Y. Liu

Joints of carbon fiber-reinforced SiC composites to Ti-alloy brazed by Ag–Cu–Ti short carbon fibers 256
G. Lin, J. Huang, H. Zhang

The numerical and analytical study on stretch flanging of V-shaped sheet metal 262
D. Li, Y. Luo, Y. Peng, P. Hu

Separation characteristics of a spent fuel surrogate in the molten salt electrorefining process 268
J.H. Lee, Y.H. Kang, S.C. Hwang, E.H. Kim, J.H. Yoo, H.S. Park

High efficient production of slim long metal fibers using bifurcating chip cutting 273
Z.P. Wan, Y. Tang, Y.J. Liu, W.Y. Liu

Preparation of MgO–$MgAl_2O_4$ composite for refractory application 279
D. Mohapatra, D. Sarkar

On the effectiveness of Finite Element simulation of orthogonal cutting with particular reference to temperature prediction 284
D. Umbrello, L. Filice, S. Rizzuti, F. Micari, L. Settineri

A study of taper angles and material removal rates of drilled holes in the abrasive water jet machining process 292
M. Palleda

Synthesis of TiO_2 nanoparticles by hydrolysis and peptization of titanium isopropoxide solution 296
S. Mahshid, M. Askari, M.S. Ghamsari

Methodology for developing technological tablets used in EDM processes of conductive ceramics 301
C.J. Luis, I. Puertas

Operation parameter optimization for fabrication of a narrow, deep hole in metal by electrical discharge machining using a dielectric-encased wire electrode 310
S. Kumagai, N. Sato, K. Takeda

Domestic microwave oven adapted for fast heat treatment of $Ba_{0.5}Sr_{0.5}(Ti_{0.8}Sn_{0.2})O_3$ powders 316
D. Keyson, D.P. Volanti, L.S. Cavalcante, A.Z. Simões, I.A. Souza, J.S. Vasconcelos, J.A. Varela, E. Longo

Effect of adhesive types on some of the properties of laminated window profiles 320
T. Dilik, T. Dündar, A. Kurtoğlu, S. Hiziroglu

Experimental approach and RSM procedure on the examination of springback in wiping-die bending processes 325
A. Mkaddem, D. Saidane

A methodology for the 3D stress analysis and the design of layered sheet metal forming tools joined by screws 334
M. Oudjene, J.-L. Batoz, L. Penazzi, F. Mercier

Density-improved powder metallurgical ferritic stainless steels for high-temperature applications 344
A. Bautista, C. Moral, F. Velasco, C. Simal, S. Guzmán

Global versus cluster-wise regression analyses for prediction of bead geometry in MIG welding process 352
J.P. Ganjigatti, D.K. Pratihar, A. Roy Choudhury

Characterization of surface mechanical properties of H13 steel implanted by plasma immersion ion implantation 367
N. Saklakoğlu

Prediction on tribological behaviour of composite PEEK-CF30 using artificial neural networks 374
X. LiuJie, J.P. Davim, R. Cardoso

Preparation and characterization of nano-zinc oxide 379
Y. Liu, J. Zhou, A. Larbot, M. Persin

Development of digital gas metal arc welding system 384
M.D. Ngo, V.H. Duy, N.T. Phuong, H.K. Kim, S.B. Kim

Metal flow in wedge indentation of V- and W-shaped tools 392
W. Kim, K. Kawai, H. Koyama

Sealing of polymeric-microfluidic devices by using high frequency electromagnetic field and screen printing technique 401
A.A. Yussuf, I. Sbarski, M. Solomon, N. Tran, J.P. Hayes

Machining of aluminium nitride with ultra-violet and near-infrared Nd:YAG lasers 409
T. Gilbert, V.D. Krstic, G. Zak

The effects of tool surface quality in micro-injection moulding 418
C.A. Griffiths, S.S. Dimov, E.B. Brousseau, R.T. Hoyle

Steady non-Newtonian flows in copper and iron aluminide at elevated temperatures 428
L.-Z. Jin, R. Sandström

Relationship between processing parameters, alloy atom diffusion distance and surface hardness in laser hardening of tool steel 435
H. Pantsar

Experimental and numerical optimisation of the sheet products geometry using response surface methodology 441
A. Mkaddem, R. Bahloul

A simulation-based design parameter study in the stamping process of an automotive member 450
J.-H. Song, H. Huh, S.-H. Kim

Prediction of geometric dimensions for cold forgings using the finite element method 459
B.Y. Jun, S.M. Kang, M.C. Lee, R.H. Park, M.S. Joun

Modelling the performance of ECM assisted by low frequency vibrations 466
M.S. Hewidy, S.J. Ebeid, T.A. El-Taweel, A.H. Youssef

Short Communications

Deposition and tunable photoluminescence of $Zn_{1-x}(Mg,Cd)_xO$ film system 473
Y. Luo, J. Bian, J. Sun, H. Liang, W. Liu

Tailoring of mechanical properties of hydroformed aluminum tubes 477
S.-T. Hong, C.A. Lavender

Author index 483

Subject index 485